

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	("5353421" "5761515" "5854928" "6631514" "6631528" "6631528" "6658486").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:46
S2	10	("5353421" "5761515" "5854928" "6631514" "6631528" "6631528" "6658486").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:47
S3	12	("5353421" "5761515" "5854928" "6631514" "6631528" "6631518" "6658486").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:56
S4	1	2002/0010851	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:56
S5	92	717/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:03
S6	55	717/150.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:03
S7	191	717/141.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:03
S8	166	717/143.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:03
S9	1666	speculat\$5 and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:04

S10	15	speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and predetermin\$3 adj condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:05
S11	620	speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:05
S12	540	speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and condition and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:06
S13	34	speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and condition and count\$3 and (exceed\$3 near3 (value or count) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:07
S14	792	speculat\$5 and compil\$5 and loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:07
S15	55	speculat\$5 and compil\$5 and (repeat\$3 or repetitive) near3 loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:07
S16	410	(speculat\$5 and compil\$5 and fail\$4 and (control or transfer) and condition and count\$3 ) and (speculat\$5 and compil\$5 and loop )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:56
S17	3	generat\$3 near3 (object adj code) and speculat\$6 and ((control\$4 or transfer\$4) near5 (fail\$4 or condition) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:59
S18	31	generat\$3 near3 (object adj code) and speculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 18:25
S19	2	generat\$3 near3 ( (multiple or plurality) near3 (object adj code) ) and speculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:29
S20	0	"6463579".URPN.	USPAT	OR	OFF	2003/12/08 18:28

S21	13	("4667290"   "5287510"   "5613117"   "5655122"   "5692169"   "5701489"   "5778219"   "5778233"   "5790867"   "5854928"   "6070009"   "6202204"   "6338133").PN.	USPAT	OR	OFF	2003/12/08 18:28
S22	5	"5854928".URPN.	USPAT	OR	OFF	2003/12/09 07:22
S23	4248	compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:35
S24	0	compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:33
S25	670	compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:33
S26	389	compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:34
S27	137	compil\$5 and (control\$4 or transfer\$4 ) near5 ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:35
S28	912	compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:12

S29	37	(compil\$5 and (control\$4 or transfer\$4 ) near5 ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???.ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5 ) ) and (compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 07:36
S30	2884	compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) near5 ( speculat\$5 or predict\$3 or branch or predicat\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:14
S31	155	compil\$5 same (control\$4 or transfer\$4 or direct\$3 or redirecr\$3 ) same (maximum or threshold or fail\$3 or detect\$3 or condition or counter ) near5 ( speculat\$5 or predict\$3 or branch or predicat\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:15
S32	149	(compil\$5 same (control\$4 or transfer\$4 or direct\$3 or redirecr\$3 ) same (maximum or threshold or fail\$3 or detect\$3 or condition or counter ) near5 ( speculat\$5 or predict\$3 or branch or predicat\$3 ) ) not ((compil\$5 and (control\$4 or transfer\$4 ) near5 ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???.ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5 ) ) and (compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:37
S33	2	"6446197".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:41

S34	100	(compil\$5 and (control\$4 or transfer\$4 ) near5 ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???.ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5 ) ) not ((compil\$5 and (control\$4 or transfer\$4 ) near5 ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and 717/???.ccls. and (branch or speculat\$5 or predict\$3 or predicat\$5 ) ) and (compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:06
S35	11	"6092180".URPN.	USPAT	OR	OFF	2003/12/09 08:59
S36	21	("4590550"   "4821178"   "4845615"   "5103394"   "5151981"   "5446876"   "5450586"   "5479652"   "5485574"   "5493673"   "5528753"   "5537541"   "5572672"   "5581482"   "5651112"   "5664193"   "5699537"   "5715463"   "5752037"   "5802386"   "5854934").PN.	USPAT	OR	OFF	2003/12/09 09:03
S37	11	"5960198".URPN.	USPAT	OR	OFF	2003/12/09 09:46
S38	22	("4847755"   "4914590"   "4947315"   "5014185"   "5021945"   "5179703"   "5193180"   "5212794"   "5265254"   "5333304"   "5335344"   "5355487"   "5412799"   "5428782"   "5450586"   "5465258"   "5517628"   "5522036"   "5535329"   "5539907"   "5752062"   "5768500").PN.	USPAT	OR	OFF	2003/12/09 09:51
S39	2272	compil\$5 same static\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:07

S40	16367	compil\$5 same static\$4 sa,e (object adj code) and (compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:08
S41	10	compil\$5 same static\$4 same (object adj code) and (compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:09
S42	24	compil\$5 same static\$4 same (object adj code) and (compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:09
S43	14	(compil\$5 same static\$4 same (object adj code) and (compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) ) ) not (compil\$5 same static\$4 same (object adj code) and (compil\$5 and (control\$4 or transfer\$4 ) and ( threshold or fail\$3 or detect\$3 or condition or counter ) and ( (plurality or multi or repetitively or repeat\$3) near5 execut\$3) and first and second and third and fourth and fifth ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 10:09
S44	5843	(speculat\$6 or (branch-miss) or (branch adj miss) or (branch near3 taken) ) same (count\$3 or number or frequen\$3 or value or increment\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:17
S45	4613	(speculat\$6 or (branch-miss) or (branch adj miss) or (branch near3 taken) ) same (count\$3 or number or frequen\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:18

S46	4469	(speculat\$6 or (branch-miss) or (branch adj miss) or (branch near2 taken) ) same (count\$3 or number or frequen\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:18
S47	1334	(speculat\$6 or (branch-miss) or (branch adj miss) or (branch near2 taken) ) same (count\$3 or number or frequen\$3 ) and optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:18
S48	907	(speculat\$6 ) same (count\$3 or number or frequen\$3 ) and optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:19
S49	471	(speculation or speculative ) same (count\$3 or number or frequen\$3 ) and optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:19
S50	561	(speculation or speculative ) same (count\$3 or number or frequen\$3 ) and optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:42
S51	12	(speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same optimiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:23
S52	1	(speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same (object adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 17:24
S53	10	(speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same fail\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:42
S54	33	(speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same ( fail\$3 or success\$3 or unsuccess\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:43
S55	10	(speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same fail\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:42

S56	15	(speculation or speculative ) same (count\$3 or number or frequen\$3 ) and ( static\$4 near3 optimiz\$7 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:42
S57	6	(speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same ( fail\$3 or success\$3 or unsuccess\$3 ) and (static\$4 near5 (optimiz\$5 or compil\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:52
S58	33	(speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same ( fail\$3 or success\$3 or unsuccess\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:52
S59	843	"I33" not ((speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same ( fail\$3 or success\$3 or unsuccess\$3 ) and (static\$4 near5 (optimiz\$5 or compil\$5)) ) not ((speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same fail\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 08:52
S60	17	((speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same ( fail\$3 or success\$3 or unsuccess\$3 ) ) not ((speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same ( fail\$3 or success\$3 or unsuccess\$3 ) and (static\$4 near5 (optimiz\$5 or compil\$5)) ) not ((speculation or speculative ) near5 (count\$3 or number or frequen\$3 ) same fail\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:50
S61	0	(instruction adj schedul\$3) near5 (alternat\$3 or choice or choose ) same (fial\$3 or success\$5 or unsuccess\$5 or error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:51
S62	6	(instruction adj schedul\$3) near5 (alternat\$3 or choice or choose )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:52
S63	81	(instruction adj (sequenc\$3 or path or schedul\$3) ) near5 (alternat\$3 or choice or choose )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:53



S64	6	(instruction adj (sequenc\$3 or path or schedul\$3) ) near5 (alternat\$3 or choice or choose ) same (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:56
S65	208	(sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error) same (alternat\$3 or choice or choose ) same (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:05
S66	40	(sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error) near5 (alternat\$3 or choice or choose ) same (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:57
S67	162	(sequenc\$3 or path or schedul\$3) and (fail\$4 or error) and (alternat\$3 or choice or choose ) same (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 09:58
S68	0	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3) ) and (reorder or re-order sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error or unsuccessful or success ) same (alternat\$3 or choice or choose ) same (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:07
S69	199	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3) ) and (reorder or re-order sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error or unsuccessful or success ) and (alternat\$3 or choice or choose ) and (frequency or count\$3 or frequencies or "number of times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:08
S70	18	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3) ) and (reorder or re-order sequenc\$3 or path or schedul\$3) near5 (fail\$4 or error or unsuccessful or success ) and (alternat\$3 or choice or choose ) and (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:28

S71	0	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3) ) same ( profil\$3 or trac\$3 or instrument\$3) near5 (fail\$4 or error or unsuccessful or success ) and (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:29
S72	78	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3) ) and ( profil\$3 or trac\$3 or instrument\$3) and (fail\$4 or error or unsuccessful or success ) and (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:33
S73	1	(speculate or speculative or (branch-predict\$3) or (branch adj predict\$3) ) and ( profil\$3 or trac\$3 or instrument\$3) and (fail\$4 or error or unsuccessful or success ) near5 (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:35
S74	2	( profil\$3 or trac\$3 or instrument\$3 or optimiz\$5) near5 (fail\$4 or error or unsuccessful or success ) near5 (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 10:37
S75	58	( profil\$3 or trac\$3 or instrument\$3 or optimiz\$5) and (fail\$4 or error or unsuccessful or success ) near5 (frequency or count\$3 or frequencies or "number of times") and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:11
S76	585	(fail\$4 or error or unsuccessful or success ) near5 (frequency or count\$3 or frequencies or "number of times" or data or meta or metadata ) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:12
S77	78	(fail\$4 or error or unsuccessful or success ) near5 (frequency or count\$3 or frequencies or "number of times" or data or meta or metadata ) same (compil\$5 or optimiz\$5 or profil\$3 or trace or tracing or speculate or speculative or (branch near3 predict\$3)) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 16:43
S78	7	("5933635"   "5956479"   "5995754"   "6044475"   "6067641"   "6105148"   "6240547").PN.	USPAT	OR	OFF	2003/12/10 12:18

S79	0	"6658656".URPN.	USPAT	OR	OFF	2003/12/10 12:21
S80	328	dynamic adj (optimiz\$5 or optimis\$5) and (control\$3 or transfer\$4 or select\$3 or choos\$3 or choice) and ((code adj motion) or invariant or speculat\$3 or (memory adj disambiguation) or predicat\$3 or guard\$3 or condition\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:06
S81	166	(dual or plurality) near3 (object adj (code or file) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:06
S82	14	("5353421" "5761515" "5854928" "6631514" "6631528" "6631518" "6658486").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:07
S83	42	generat\$3 near3 ( (multiple or plurality) near S82 (object adj code) ) and speculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:07
S84	3	generat\$3 near3 ( (dual or multiple or plurality) near3 (object adj code) ) and speculat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:18
S85	1	("6463579").URPN.	USPAT	OR	OFF	2005/01/27 17:13
S86	1372	path near3 probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:19
S87	2	S80 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/27 17:19
S88	22	("6463582").URPN.	USPAT	OR	OFF	2005/01/27 17:22
S89	34	speculation adj mechanism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:12
S90	175	(one-time or single) adj compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 09:34

S91	34	(parallel or dual) near2 (object adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:27
S92	4	"speculative check instruction"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 10:53
S93	9	"speculation failure"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:16
S94	0	("6292939").URPN.	USPAT	OR	OFF	2005/01/31 10:38
S95	10	("5535393"   "5778423"   "5781775"   "5802374"   "5873105"   "5953736"   "6016505"   "6081665"   "6098089"   "6216174").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 10:38
S96	1	("6640315").URPN.	USPAT	OR	OFF	2005/01/31 10:57
S97	9294	failure near3 (frequency or count or threshold or probability or liklihood or statistic or metric or meta-data or metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:18
S98	36	failure near3 (frequency or count or threshold or probability or liklihood or statistic or metric or meta-data or metadata or (meta adj data)) near5 (specula\$6 or predicat\$3 or branch or guard or conditional\$2 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:20
S99	36	failure near3 (frequency or count or threshold or probability or liklihood or statistic or metric or meta-data or metadata or (meta adj data)) near5 (specula\$6 or predicat\$3 or branch or guard or conditional\$2 or sentry )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:48
S10 0	6	(choos\$3 near3 path) near3 (frequency or count or threshold or probability or liklihood or statistic or metric or meta-data or metadata or (meta adj data)) near5 (specula\$6 or predicat\$3 or branch or guard or conditional\$2 or sentry )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 11:52
S10 1	8	("4709377"   "4742533"   "4833693"   "4945549"   "5134635"   "5181209"   "5214675"   "5398254").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 11:51

S10 2	174	((choos\$3 or select\$3 or optimal or rout\$3) near3 (path or control)) near3 (frequency or count or threshold or probability or likelihood or statistic or metric or meta-data or metadata or (meta adj data)) near5 (specula\$6 or predicat\$3 or branch or guard or conditional\$2 or sentry )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:36
S10 3	2	"6574578".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 16:14
S10 4	1	(speculat\$3 near3 recovery) near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:18
S10 5	1	(speculat\$3 near5 recovery) near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:18
S10 6	33	(speculat\$3 same recovery) same (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:19
S10 7	22	("5649136").URPN.	USPAT	OR	OFF	2005/01/31 16:26
S10 8	17	("5649136").URPN. and (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic)	USPAT	OR	OFF	2005/02/01 07:16
S10 9	20963	EXECUT\$3 same CONTROL\$4 same (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold)	USPAT	OR	ON	2005/02/01 07:18
S11 0	1661	EXECUT\$3 near5 CONTROL\$4 near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold)	USPAT	OR	ON	2005/02/01 07:19
S11 1	0	EXECUT\$3 near5 CONTROL\$4 near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) and (recovery adj code)	USPAT	OR	ON	2005/02/01 07:19

S11 2	10	EXECUT\$3 near5 CONTROL\$4 near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) and speculat\$3	USPAT	OR	ON	2005/02/01 07:26
S11 3	9	EXECUT\$3 near5 CONTROL\$4 near5 (frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 fail\$3	USPAT	OR	ON	2005/02/01 07:27
S11 4	99	(frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 fail\$3 same (conditional\$2 or "out-of-order" or speculat\$5 or branch\$3 )	USPAT	OR	ON	2005/02/01 07:57
S11 5	5799	(frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 (conditional\$2 or "out-of-order" or speculat\$5 or branch\$3 )	USPAT	OR	ON	2005/02/01 07:56
S11 6	351	(frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 (fail\$3 or branch near2 taken) same (conditional\$2 or "out-of-order" or speculat\$5 or branch\$3 )	USPAT	OR	ON	2005/02/01 07:58
S11 7	351	(frequency or count or statistic or metadata or meta-data or (meta adj data) or heuristic or threshold) near5 (fail\$3 or (branch near2 taken)) same (conditional\$2 or "out-of-order" or speculat\$5 or branch\$3 )	USPAT	OR	ON	2005/02/01 07:59
S11 8	252	S116 not S114	USPAT	OR	ON	2005/02/01 07:59
S11 9	130	("5142634").URPN.	USPAT	OR	OFF	2005/02/01 08:24
S12 0	408727	("5142634").URPN. amd loop\$3	USPAT	OR	ON	2005/02/01 08:23
S12 1	71	("5142634").URPN. and loop\$3	USPAT	OR	ON	2005/02/01 10:09
S12 2	1	generat\$3 adj ( object adj code) same recovery	USPAT	OR	ON	2005/02/01 11:03
S12 3	1	"6463579".pn. and (loop\$3 or branch\$3)	USPAT	OR	ON	2005/02/01 11:04